

RAIN BARREL REBATE PROGRAM APPLICANT GUIDE

Rain barrels capture and store the rainwater running off your rooftop. The harvested rainwater can be used immediately or stored for later use to water your lawn or garden, fill ponds or fountains, or wash your car and yard supplies.

WHY DOES THE DISTRICT GOVERNMENT PROVIDE REBATES ON RAIN BARRELS?

The District Department of Energy & Environment offers rebates on rain barrels because rainwater that flows off impervious surfaces, such as rooftops, driveways, and roads, carries pollutants into our rivers and streams. Rain barrels can capture rainwater and make it a usable resource, allowing it to seep back into the ground slowly and filter out pollutants, recharge the water table, and prevent stream erosion during heavy storms.

HOW MUCH IS THE REBATE?

Rebates are issued as a direct reimbursement to applicants at a rate of \$2 per gallon captured. A 50-gallon rain barrel, for example, would yield a \$100 rebate after installation. Rain barrels must hold a minimum of 50 gallons. The rebate maximum per property is \$1,000 and reimbursements cannot exceed the cost of the rain barrel (tax and shipping not included).

WHO IS ELIGIBLE FOR THE REBATE?

Property owners of residential buildings, commercial buildings, and community spaces in the District are eligible, including those who have already received RiverSmart Homes or RiverSmart Communities funding. Rebates are made on a first come first serve basis, while funds last.



5 STEPS TO GETTING A RAIN BARREL REBATE

- REVIEW rebate materials on the web (doee.dc.gov/rainbarrelrebates) or request by email (slightcap@allianceforthebay.org)
- **ASSESS** your site to determine the best location, volume, and type of barrel. Take before photo(s) of the location without the barrel.
- PURCHASE a barrel that meets all rain barrel criteria described on page 2. Rebate funding can only be applied to qualifying barrels.
- **INSTALL** the barrel (yourself or hire a contractor of your choice and take after photos that show all required features.
- SUBMIT your rebate application and documents to the Alliance for the Chesapeake Bay. You will receive a rebate check at your given address within 2-6 weeks once the application is reviewed and approved. Click here for the: RiverSmart Homes Rebate Portal










RAIN BARREL CRITERIA

Your rain barrel must meet all of the following criteria in order to be eligible for a rebate. Please make sure that these features are visible in your after photos to avoid a longer review process.

- VOLUME: The barrel must hold a minimum of 50 gallons. If the roof area draining to the barrel is more than 200 square feet (sf), we suggest adding 25 gallons of capacity for each additional 200 sf.
- **INLET SCREEN:** The barrel's inlet must be screened to prevent leaf debris and mosquito larvae from entering.
- OVERFLOW: The overflow is the pipe near the top of the barrel
 that directs excess water away from the house once the barrel is
 full. The overflow should be around the same diameter as the
 inflow. For smaller barrels, we suggest using a diverter kit to work
 as the inflow and overflow.
- DIVERTER: When set to collect, the water will be directed to the barrel for storage. When switched to bypass, the water will be directed through the overflow and away from the house and/or foundation; such as a Y diverter.
 Here is a hepful video demonstrating how to install a Y diverter. Click here: Installing a diverter video
- SPIGOT: The spigot must be within 3 inches of the bottom of the barrel.
- HEIGHT: Your barrel should be elevated on cinder blocks or about 8" high to allow access to the spigot and help promote water pressure. If you put a barrel on your wood deck or porch, it must be structurally sound (as determined by an engineer) to support a full barrel.
- **MATERIAL:** The barrel must be made of an opaque material that will not allow any sunlight through.
- DOWNSPOUT FILTER: This is not required, but highly recommended. Some barrels come with filters that prevent leaf litter and other debris from clogging the barrel and overflow. If yours does not, we recommend that you purchase a filter to add, such as the Leaf Eater Ultra. Click here: Amazon



height and pressure

BUILDING YOUR OWN BARREL?

Submit a design sketch and receipt for all parts purchased to Savanna Lightcap at the Alliance for the Chesapeake Bay (slightcap@allianceforthebay.org). Reimbursement cannot exceed the cost of parts. To ensure your barrel meets the above criteria, please consider submitting the design before you begin building.

CHOOSING THE RIGHT RAIN BARREL AND INSTALLATION SITE

There are many options for size, shape, volume and placement of a rain barrel. Here are six factors to keep in mind when choosing a rain barrel and selecting the right location for installation.

NEED FOR WATER

Where do you plan to water your lawn, wash your car, or maintain your vegetable garden? Attach the rain barrel to a downspout close to areas where water is frequently needed.

EASE OF USE

The barrel should be at a higher elevation than the areas where the water will be used so that a garden hose (or soaker hose) can be used to empty it. If the barrel is below where the water is needed, then the water will have to be carried or pumped. The barrel can be propped up on bricks or cinder blocks to slightly increase water pressure.

AVAILABLE SPACE

Rain barrels come in many different shapes and sizes. Do not place the barrel where it will be obstructing a walkway, basement entrance, or electric and gas meters. Be sure the surface is level so the barrel will be stable when full.

RUNOFF VOLUME

If possible, try to maximize the amount captured by the rain barrel by placing it under the downspout that receives the most water on your property.

OVERFLOW

In most cases, the rain barrel will not be large enough to capture all of the water from a downspout, and it will fill up quickly during a heavy rainstorm. Your rain barrel should have an automatic overflow mechanism that diverts water back into the downspout when the barrel is full, or to an overflow pipe that drains away from your home. It's important that the diameter of the overflow pipe be at least as wide as the inlet pipe so that once the barrel is full, excess water can exit the barrel at the same rate it enters the barrel. If this is not the case, it may back up and leak out near your foundation.

ACCESSIBILITY & MAINTENANCE

Many rain barrels have filters that capture leaves and debris from the roof. If yours does not, it is a good idea to add one. The filter will need to be regularly emptied when it is full, to prevent clogging. Be sure to place the barrel in such a way that there is easy access to the filter to maintain its functionality

SEARCHING FOR A BARREL?


Check out our list of business on page 6. If you are unable to find the barrel you want at a local store, check the internet. Most rain barrels are available to order online.

PRE-APPROVED RAIN BARRELS

The following barrels are eligible for the rain barrel rebate. We are not endorsing these barrels and your options are not limited to these examples, but the barrel you select does need to meet all required criteria outlined on page 2. Please note some of them will require a Y diverter or separate diverter kit, if the barrel does not have an internal diverter.



Manufacturer: RainGrid **Model:** RiverSides **Volume:** 132 gallons Dimensions: 51" x 27" Web: www.raingrid.cor



Model: Hydra

Volume: 116 gallons

Dimensions: 54"x 47.81"x18.3" Web: www.stormworkspo

*Y-Diverter required





Manufacturer: EathMinded Model: DIY Blue lastic Drum

Volume: 55 gallons

Dimensions: 34.8" x 23.3" X 23.3""

Web: www

*Diverter kit required



*Diverter kit required







PRE-APPROVED RAIN BARRELS



Manufacturer: Algreen

Model: Castilla Volume: 50 gallons

Dimensions: 33" x 23.5" x 23.5" **Web:** <u>www.algreenproducts.com</u>

*Diverter kit required

Manufacturer: Rainwater HOG Model: Rainwater HOG

Volume: 51 gallons

Dimensions: 71" x 20" x 9.5" Web: www.rainwaterhog.com





Manufacturer: Good Ideas

Model: Rain Wizard Volume: 50 gallons

Dimensions: 30" x 22" x 22" Web: www.goodideasinc.com *Diverter kit required

Manufacturer: Bushman Model: Slimline Rain Tank Volume: 265 gallons

Dimensions: 64" x 59" x 25" **Web:** www.bushmanusa.com



HAVE A LARGER RAINWATER HARVESTER IN MIND?

If the barrel criteria outlined on page 2 are met, larger cisterns are eligible for coverage. Please email Savanna Lightcap at the Alliance for the Chesapeake Bay (Slightcap@allianceforthebay.org) with details before purchasing to determine if the rebate can be applied to your specific cistern.

APPLICANT RESOURCES

Helpful recommendations, related to the most commonly requested information, are listed below. For additional assistance on your rebate project, please contact the Alliance for the Chesapeake Bay.

- **FEE-FOR-HIRE INSTALLATION:** We have assembled a list of local contractors with rain barrel installation experience, available by request. Please note that you will be expected to pay for this service out-of-pocket and may be required to have all necessary rain barrel parts purchased and present on your property prior to the installation. Click here: Rain Barrel Installer List
- CARE GUIDE: We have created a homeowner maintenance and care guide for rain barrels, available by request.
 Please note that our care guide is tailored to the RiverSide and Hydra barrels, installed in our grant installation program and listed above, however the information is still applicable and helpful.
 Click here: Rain Barrel Maintenance Checklist and here is a helpful YouTube video: Rain Barrel Maintenance Video
- **PUMPS:** You may find the need for additional pressure for moving water to a desired location. Pumps can be found at Lowes, Home Depot, your local hardware store and even Amazon.

RAIN BARREL REBATE STORES

Below is a list of stores that sell barrels that are eligible for rebate. Feel free to look at other stores, but these are a few options to get you started. Please be sure that the barrels you choose will meet**ALL** the requirements for a rebate! For additional assistance on your rebate barrel, please contact the Alliance for the Chesapeake Bay.

James T. Warring Sons Inc.

https://www.warringbarrels.com/rainbarrel | I Phone (301) 322-5400 This store offers barrels only. You will need to buy a diverter kit elsewhere.

BlueBarrel

https://www.bluebarrelsystems.com/ | Phone (707) 394-5009
This store offers barrels, diverters, and complete rain barrel kits.
You can enter the code ALLIANCEFORTHEBAY for 10% off at check out!

Colorado Rain Catcher

https://www.coloradoraincatcher.com/products/services-1 | Phone (970) 556-8441 | This store offers barrels and diverter kits.

Rain Water Management

https://www.rainwatermanagement.com/ | Phone (540) 375-6750 This store offers barrels, cisterns, and tanks.

Lowes

https://www.lowes.com/ | Phone (202) 378-2500 This store offers barrels and diverter kits.

Home Depot

https://www.homedepot.com/ | Phone (202) 526-8760 This store offers barrels and diverter kits.









GET IN TOUCH!

THE RIVERSMART HOMES RAIN BARREL PROGRAM IS BEING IMPLEMENTED BY DOEE GRANTEE, ALLIANCE FOR THE CHESAPEAKE BAY. PLEASE SEE BELOW FOR CONTACT INFORMATION.

PROGRAM CONTACT

Savanna Lightcap Alliance for the Chesapeake Bay

202-553-6483 slightcap@allianceforthebay.org www.allianceforthebay.org

FREQUENTLY ASKED QUESTIONS

Q: WHY GET A RAIN BARREL THROUGH THE REBATE PROGRAM INSTEAD OF THE RIVERSMART HOMES (RSH) GRANT PROGRAM?

A: Although the RSH rain barrel grant program provides a barrel and an assigned contractor to install it for you, the rebate program provides homeowners with more flexibility in terms of timeline and barrel type. Specifically, it offers an opportunity to:

- 1. Select a barrel other than those provided by RSH or build your own;
- 2. Avoid long wait times associated with the RSH grant rain barrel program;
- 3. Choose your own installer from the list of recommended installers;
- 4. Install a rain barrel yourself.

Q: I ALREADY BOUGHT AND INSTALLED MY OWN RAIN BARREL. CAN I GET REBATE FUNDING RETROACTIVELY?

A: Yes, provided that your barrel meets all program requirements and your receipt is no more than one year old.







